

**HELLO
WOOD**

H-1033
BUDAPEST, FÖ TÉR 1.
ZICHY-CASTLE


PEEBL GRAND

WWW.HELLOWOOD.EU/CONTACT

**WELCOME TO
THE WORLD OF
EXTRAORDINARY
ARCHITECTURE!**


WE ARE HELLO WOOD:

HELLO
WOOD



DESIGN

HELLO WOOD IS AN
INTERNATIONAL AWARD WINNING
ARCHITECTURE STUDIO.



BUILD

WITH MORE THAN 10 YEARS OF
EXPERIENCE IN HIGH QUALITY
DESIGN AND BUILD PROJECTS.



DEVELOP

WHETHER IT'S LARGE SCALE
PLANNING, RESORT DEVELOPMENT
OR A SOLO CABIN IN THE WOODS.

WE DO IT ALL!

HELLO
WOOD

Hello Wood represents a decade of excellence in unique site specific architectural creations. We are renowned for our award-winning designs, we bring innovation, sustainability, and an artistic flair to building-scale projects worldwide.



ÜRKÜT

JÄSD

BÄR

HICE

HAJMÄS

ÖCS

LIV

SÄ

PEBL GRAND //

TECHNICAL
SPECIFICATIONS




*exterior cladding on rendered image: BB581 Anodized light bronze



**exterior cladding on rendered images: BB600 Mirror natural

PEBL GRAND

HELLO
WOOD




PEBL GRAND

FUNCTIONS, PREMISES

HELLO
WOOD

- ① Designer table // for two person
- ② Bed // width 180 cm
- ③ Built in designer hidden storage
- ④ Kitchenette
- ⑤ Sauna bench
- ⑥ Completely opening double door
- ⑦ Panoramic window
- ⑧ Electric water-heater

- I Living area 15,70 m²
- II Bathroom 1 m²
- III Shower 0,9 m²
- IV Toilet 0,9 m²
- V Infrared sauna 2,10 m²
- VI Terrace 8,00 m²



PEBL GRAND

HELLO
WOOD

SPECIFICATIONS

We reserve the right to modify the exact materials and equipment while maintaining quality standards.

STRUCTURE & THERMAL INSULATION

40 mm glulam wood panel + 60 mm PIR thermal insulation + fibreglass reinforced PE hybrid laminated structure developed by Hello Wood, CNC cut to shape, assembled in workshop conditions, delivered and installed in one piece.

U= 0,35 W/m²K R= 2,857 m²K/W

Foundation: ground bolt or compacted gravel bed

W

WINDOWS

Aluminium frame system: ALIPLAST Sp. z o.o. (STAR Standard)

Colour: TIGER 9005;Structural TIGER 9005T2 class 2 QC;

Accessory colour: TIGER 9005;Structural TIGER 9005T2 class 2 QC

Glass: 4 Low-e - 18Ag TGI 9005 - 4 Float - 18Ag TGI 9005 - 4 Low-e


Static Code: PN-EN 1991-1-3, PN-EN 1991-1-4Övezet: 1 Terep: IV Épület: Z=10 m. Pk: 363,00 [N/m²]

OUTSIDE CLADDING OPTIONS

4 mm Alu composite, weather proof façade panels



BB561 Brushed



BB406 French Walnut


PEBL GRAND

HELLO
WOOD

SPECIFICATIONS

We reserve the right to modify the exact materials and equipment while maintaining quality standards.

INTERIOR DESIGN MATERIALS




designation	K1 multiplan, glulam pine panel
premises	living room
Quality class	BB/CP
board size	1500x3000 mm
thickness	40 mm / 20 mm
fixing	hidden, no visible screws
surface finish	colourless silk gloss lacquer finish


WET ROOM COVERING



GERFLOR Noir 7801



GERFLOR Jute 7315



GERFLOR Paprika 8102

designation	Vinyl covering
premises	wet room, living area
anti-slip	R10

**HELLO
WOOD**

H-1033
BUDAPEST, FÖ TÉR 1.
ZICHY-CASTLE

PEEBL ONE

WWW.HELLOWOOD.EU/CONTACT





WORK



PLAY



GLAMP



SAUNA




PEBL ONE

WORK

HELLO
WOOD


- ① Designer table // for two people
- ② Built in designer bench
- ③ Hidden storage
- ④ Hidden AC // heating, cooling
- ⑤ Panoramic window
- ⑥ Entrance door



PEBL ONE

PLAY

HELLO
WOOD



① Entrance


② Comfortable mattress on the floor

PEBL ONE

GLAMPING

HELLO
WOOD

- ① Entrance door
- ② Built in designer sofa
- ③ Bed // Single // Double
- ④ 2x Storage boxes
- ⑤ Hidden AC // heating, cooling
- ⑥ Panoramic window



PEBL ONE

HELLO
WOOD

SPECIFICATIONS

We reserve the right to modify the exact materials and equipment while maintaining quality standards.

STRUCTURE & THERMAL INSULATION

40 mm glulam wood panel + 60 mm PIR thermal insulation + fibreglass reinforced PE hybrid laminated structure developed by Hello Wood, CNC cut to shape, assembled in workshop conditions, delivered and installed in one piece.

U= 0,35 W/m²K R= 2,857 m²K/W

Foundation: ground bolt or compacted gravel bed

WINDOWS

Aluminium frame system: ALIPLAST Sp. z o.o. (STAR Standard)

Colour: TIGER 9005;Structural TIGER 9005T2 class 2 QC;

Accessory colour: TIGER 9005;Structural TIGER 9005T2 class 2 QC

Glass: 4 Low-e - 18Ag TGI 9005 - 4 Float - 18Ag TGI 9005 - 4 Low-e


Static Code: PN-EN 1991-1-3, PN-EN 1991-1-4Övezet: 1 Terep: IV Épület: Z=10 m. Pk: 363,00 [N/m²]

OUTSIDE CLADDING OPTIONS

4 mm Alu composite, weather proof façade panels



BB561 Brusted



BB406 French Walnut

PEBL ONE

HELLO
WOOD

SPECIFICATIONS

We reserve the right to modify the exact materials and equipment while maintaining quality standards.

INTERIOR DESIGN MATERIALS



designation	K1 multiplan, glulam pine panel
premises	living room
Quality class	BB/CP
board size	1500x3000 mm
thickness	40 mm / 20 mm
fixing	hidden, no visible screws
surface finish	colourless silk gloss lacquer finish

LET'S BUILD!

H-1033
BUDAPEST, FÖ TÉR 1.
ZICHY-CASTLE

WWW.HELLOWOOD.EU/CONTACT

The entire presentation and the parts designed by Hello Wood - including ideas, descriptions, graphic design, and project information are the intellectual property of Hello Wood and are protected by Article LXXVI of 1999 on copyright. Act and XCIII of 2016 are subject to the law. No part of the publication may be used, reproduced or distributed, or transferred to a third party without the prior written permission of Hello Wood.